Model code/ Name GEAR MOTOR GR2 BIDIRECT FIXED DISPL

Code number 121.19.023.00 Model code:

Description SEM2NN-/-019-B-N-01-BA-M1-C7-C7-NN-N-N-/-NNN-N-N

https://store.danfoss.com/nl-ps/en/Power-Solutions/Motors/Mobile-motors/Gear-motors/GearMe-aluminum-gear-motors/GEAR-MOTOR-GR2-

URL BIDIRECT-FIXED-DISPL/p/121.19.023.00

Product details

Gross weight 3 Kg Net weight 3 Kg

Displacement Displacement 19cc

Slash separator Slash O-Ring, Inside Diameter Slash A PROJECT GROUP2

B SERIES GROUP2 C_TYPE OF PRODUCT GROUP M

D_SIZE GROUP2

Taper 1:8-M12x1,25-Key=4 Drive gear E VALVE GROUP2

F DRAIN GROUP2 Inlet size 20x40xM8

Mark position Std on top-drive gear side

Mark type Std Marking

Mounting flange Pilot D36,5 + 4 holes x bolts

Outlet size 20x40xM8

Standard from catalogue Ports position Aluminium Gear Motors Product group

Project version Standard Version of Project

Cover M+drain1/4 G driven side Rear cover Bidirectional Rotation

Screws standard Screws Seals Standard seal

Single Stage Family Gr2 Low Cost Bidirec.Motor Aluminum Gear Motors - Group 2

Valve setting without setting

Pricing

List price Currency

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice.

This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Displacement 19 cc

Sauer-Danfoss Product

Taper 1:8 - M12 x 1,25 - Key = 4 CO01

Position Marking standard (on the top in relation to drive gear)

Flange with pilot Ø36,5 mm and 4 holes for bolts

Standard Bidirectional Motor with inlet and outlet on body and axial drain on cover

Low-cost products

Without Valve

Standard Marking

Standard from catalogue

Standard Version of Project

Standard cover for motor drain 1/4 Gas

Standard 20x40xM8

20x40xM8

Bidirectional

Screws standard

Standard seal

NNN without setting

C7

C7

NN

M1

SEM2NN